Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 20, September 19, 2013

For the Period September 10 to 16, 2013

Warm and dry weather over the past week resulted in significant harvest progress being made. Saskatchewan farmers now have 55 per cent of the 2013 crop combined, according to Saskatchewan Agriculture's Weekly Crop Report. Thirty per cent is swathed or ready to straight-cut. The five-year average (2008-2012) for this time of year is 44 per cent combined and 31 per cent swathed or ready to straight-cut.

Harvest is most advanced in the southwestern region, where 69 per cent of the crop is combined. Fifty-five per cent is combined in the southeast; 45 per cent in the east-central region; 64 per cent in the west-central region; 39 per cent in the northeast and 48 per cent in the northwestern region.

Of the crops that have been harvested so far, 97 per cent of the peas, 83 per cent of the lentils and 70 per cent of the durum is estimated to fall within the top two quality grades. While overall yields are reported to be above average, they vary from region to region.

Province-wide, the week's rainfall ranged from nil to 13 mm.

Very little crop damage was reported. Wind in the southeastern and east-central regions caused some canola swaths to blow around. Light frost was reported in the southeastern and east-central regions as well; however, crops have matured enough that damage is expected to be minimal.

One year ago
Seventy-four per cent of the 2012 crop had been combined. Sixty-seven per cent of the spring wheat had been combined.

Follow the 2013 Crop Report on Twitter @SKGovAg

Saskatchewan Harvest September 16, 2013 % combined	
Winter wheat	98
Fall rye*	99
Spring wheat	49
Durum	54
Oats	28
Barley	58
Canola	52
Mustard	66
Lentils	91
Peas	97
Chickpeas	17
Canaryseed	16
Flax	3
*includes five per cent 'other'	

Harvest Progress in SK Per cent combined All Crops	
Sept 16/13	55
5 year avg. (2008-2012)	44
Sept 18/12	74
Sept 13/11	59
Sept 14/10	14
Sept 15/09	32
Sept 14/08	39

Across the province, topsoil moisture on cropland is rated as one per cent surplus, 48 per cent adequate, 41 per cent short and 10 per cent very short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 47 per cent adequate, 39 per cent short and 13 per cent very short.

Farmers are busy swathing, combining and hauling bales.

For further information, contact: Daphne Cruise, PAg,
Regional Crop Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Saskatchewan Crop Insurance Reminder

The deadline to submit forage claims and declarations is September 30. If producers have not completed harvest by this date, they may request an extension of insurance. The last day for AgriStability participants to submit their 2012 program forms without penalty is September 30, 2013.

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Fifty-five per cent of the 2013 crop has been combined, and 24 per cent swathed or ready to straight-cut. The five-year average (2008-2012) for the region is 53 per cent combined, ranging from 21 per cent in 2010 to 90 per cent in 2012. Sixty-eight per cent of the crop is combined in Crop District 2A, 59 per cent in crop districts 3ASE and 2B, 47 per cent in Crop District 1B and 44 per cent in Crop District 1A. Above-average crop yields with good quality is being reported in the majority of the region.

Fifty-two per cent of the peas are expected to fall in the 1CAN grade and 48 per cent in the 2CAN grade. Sixty-four per cent of the lentils are expected to grade 2CAN and 36 per cent 3CAN. Sixteen per cent of the durum is expected to grade 1CWAD, 32 per cent 2CWAD and 49 per cent 3CWAD and three per cent 4 and 5 CWAD.

Rainfall ranged from nil to 5 mm (Radville area). Topsoil moisture conditions on cropland are rated as two per cent surplus, 64 per cent adequate, 29 per cent short and five per cent very short. Hay land and pasture moisture is rated as four per cent surplus, 54 per cent adequate, 34 per cent short and eight per cent very short.

Very little crop damage was reported this past week. Last week's heavy rain caused some localized flooding. Light frost was reported with temperatures dipping down to -1C; however, crops are mature enough that damage will be minimal. Strong winds blew some canola swaths around. In some areas, last week's rain has helped replenish some topsoil moisture and will help germinating winter cereals. Producers are busy harvesting and hauling bales.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

The region leads the province in harvest progress. Sixty-nine per cent of the 2013 crop is in the bin and an additional 16 per cent is swathed or ready to straight-cut. The five-year average (2008-2012) for this time of year is 60 per cent combined, ranging from 25 per cent in 2010 to 93 per cent in 2012. Crop District 4B has 90 per cent of the crop

combined; 4A and 3BN 76 per cent; 3AN 64 per cent; 3BS 61 per cent and 3ASW 51 per cent. Heavy rain in Crop District 3ASW delayed harvest for a few days last week. Some producers are expecting to finish their harvest in the next week or so. Most crop reporters are indicating yields are estimated to be well above average this year.

Forty-seven per cent of the peas are expected to grade 1CAN, 51 per cent will grade 2CAN and two per cent will fall in the 3CAN grade. Thirty-six per cent of the lentils are expected to grade 1CAN, 52 per cent 2CAN, 11 per cent 3CAN and one per cent sample. Thirty-seven per cent of the durum is expected to grade 1CWAD, 45 per cent 2CWAD, 16 per cent 3CWAD and two per cent 4 and 5 CWAD. Most areas reported no rain for the week. Total precipitation ranged from nil to 10 mm (Cadillac area).

Cropland topsoil moisture is rated as two per cent surplus, 66 per cent adequate, 26 per cent short and six per cent very short. Hay land and pasture topsoil moisture is rated as 65 per cent adequate, 30 per cent short and five per cent very short. Crop District 4B is reporting 25 per cent of the cropland, hay land and pasture is very short of topsoil moisture.

Very little crop damage was reported. Last week's rain caused some bleaching of swathed cereals. Farmers are busy harvesting, baling straw and hauling bales.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

The region made significant harvest progress over last week and producers now have 45 per cent of the crop combined. Forty-one per cent is swathed or ready to straight-cut. The five-year average (2008-2012) for this time of year is 38 per cent combined, ranging from nine per cent in 2010 to 73 per cent in 2012. Crop District 6A has 53 per cent combined, 5A has 42 per cent and 5B has 39 per cent combined. Most areas received no rain over the week, so harvest continued uninterrupted. Rainfall in the region ranged from nil to 13 mm (Humboldt area). Crop reporters are indicating crop yields are above average and crop quality is good.

Thirty-six per cent of the peas are expected to fall in the 1CAN grade, 63 per cent in the 2CAN grade and one per cent in 3CAN grade. Thirty-eight per cent of the lentils are expected to grade 1CAN and 62 per cent 2CAN. Fifty-five per cent of the durum is expected to grade 2CWAD, 35 per cent 3CWAD and 10 per cent 4 and 5 CWAD.

Cropland topsoil moisture is rated as 38 per cent adequate, 56 per cent short and six per cent very short. Hay land and pasture topsoil moisture is rated as 37 per cent adequate, 50 per cent short and 13 per cent very short. Some areas could use a rain to relieve moisture stress on pastures.

Very little crop damage was reported in the region this week. High winds moved some canola swaths around in some areas. A light frost was reported; however, crop

reporters are indicating the majority of the crop has advanced far enough to avoid any significant frost damage. Farmers are busy harvesting, baling straw and hauling bales.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7 – Rosetown, Kindersley, Eston, Major, Kerrobert, Macklin, Wilkie and Biggar areas)

Sixty-four per cent of the 2013 crop is combined and 26 per cent is swathed or ready to straight-cut. The five-year average (2008-2012) for this time of year is 38 per cent combined, ranging from seven per cent in 2010 to 64 per cent in 2012. Crop District 7A has 71 per cent combined; 7B 65 per cent; and 6B 58 per cent. Crop reporters are indicating yields are well above average for most areas of the region. Most areas received no rain during the week allowing combines to keep moving in the field.

Forty-seven per cent of the peas are expected to grade 1CAN, 51 per cent will grade 2CAN and two per cent 3CAN. Twenty-four and 64 per cent of the lentils are expected to grade 1CAN and 2CAN, respectively. Twelve per cent of the lentils will grade 3CAN. Forty per cent of the durum is expected to grade 1CWAD, 45 per cent 2CWAD and 15 per cent 3CWAD.

Topsoil moisture conditions are rated as 25 per cent adequate, 50 per cent short and 25 per cent very short on cropland. Hay land and pasture topsoil moisture conditions are rated as 20 per cent adequate, 44 per cent short and 36 per cent very short. All crop districts in the region are reporting over half of the crop and hay land is short of topsoil moisture. Soil conditions are very dry in the region, as most areas have not had a significant amount of rain for a month or more. Dry conditions have resulted in a decrease in pasture productivity. Crop and combine fires have been reported. There are a few reports of ergot showing up in wheat samples. Although the rain predicted for this week may slow harvest down, most crop reporters are indicating they will gladly take it.

Producers are busy harvesting, baling straw, hauling hay and starting fall weed control.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Thirty-nine per cent of the crop is in the bin. Forty-five per cent is swathed or ready straight-cut. The five-year average (2008-2012) for this time of year is 33 per cent combined, ranging from nine per cent in 2010 to 55 per cent in 2012. Crop District 8A has 41 per cent combined; 9AE 39 per cent; and 8B 37 per cent. Very little rain was reported in the region, allowing farmers to stick with harvest operations. Average to above-average yields are being reported for the region, depending on excess spring and growing season moisture.

Forty-nine per cent of the peas are expected to grade 1CAN, 47 per cent 2CAN and three per cent 3CAN. Topsoil moisture on cropland is rated as 45 per cent adequate, 47 per cent short and eight per cent very short. Topsoil moisture on hay land and pasture is reported as two per cent surplus, 51 per cent adequate, 39 per cent short and eight per cent very short.

Very little crop damage was reported in the region. High winds caused some canola swaths to blow around in a few areas. Field and combine fires have been reported due to dry and windy conditions. Producers are busy harvesting and hauling hay.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Forty-eight per cent of the crop is in the bin, and 42 per cent is swathed or ready to straight-cut. The five-year average (2008-2012) for this time of year is 26 per cent combined, ranging from seven per cent in 2010 to 46 per cent in 2012. Crop District 9AW has 54 per cent combined and Crop District 9B has 42 per cent combined. No rain was reported during the past week. Above-average yields and good quality are being reported.

Sixty per cent of the peas are expected to grade 1CAN, 38 per cent 2CAN and two per cent 3CAN. Topsoil moisture on cropland is rated as 39 per cent adequate, 45 per cent short and 16 per cent very short. Topsoil moisture on hay land and pasture is reported as 36 per cent adequate, 44 per cent short and 20 per cent very short. Pasture conditions in some areas are very dry.

Very little crop damage was reported in the region. There are a few reports of ergot showing up in wheat samples. Producers are busy harvesting and hauling bales.

Saskatchewan Harvest Progress September 16, 2013

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined
southeast	0	1	1	98
southwest	0	0	1	99
east central	0	0	1	99
west central	1	1	2	96
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
province	**0**	**1**	**1**	**98**

Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined
southeast	25	17	15	43
southwest	18	3	22	57
east central	13	20	24	43
west central	16	7	23	54
northeast	12	13	24	51
northwest	9	18	19	54
province	**16**	**13**	**22**	**49**

Durum	% Standing	% in swath	% ready to straight combine	% combined
southeast	25	16	7	52
southwest	18	3	22	57
east central	33	13	20	34
west central	16	5	25	54
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
province	**20**	**7**	**19**	**54**

Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	42	24	3	30	1
southwest	20	9	14	43	14
east central	30	29	15	26	0
west central	27	28	10	29	6
northeast	47	13	9	31	0
northwest	22	17	39	20	2
province	**34**	**22**	**15**	**28**	**1**

Barley	% Standing	% in swath	% ready to straight combine	% combined
southeast	12	14	5	69
southwest	12	3	13	72
east central	13	25	9	53
west central	9	11	23	57
northeast	19	16	9	56
northwest	29	25	9	37
province	**14**	**16**	**12**	**58**

Lentils	% Standing	% in swath	% ready to straight combine	% combined
southeast	3	1	1	95
southwest	3	1	4	92
east central	6	3	9	82
west central	4	0	10	86
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
province	**3**	**1**	**5**	**91**

Peas	% Standing	% in swath	% ready to straight combine	% combined
southeast	1	2	1	96
southwest	1	0	0	99
east central	1	1	3	95
west central	1	1	4	94
northeast	1	0	4	95
northwest	1	6	2	91
province	**1**	**1**	**1**	**97**

Canola	% Standing	% in swath	% ready to straight combine	% combined
southeast	6	31	2	61
southwest	4	12	2	82
east central	5	47	4	44
west central	0	24	4	72
northeast	6	63	4	27
northwest	5	38	11	46
province	**5**	**39**	**4**	**52**

Mustard	% Standing	% in swath	% ready to straight combine	% combined
southeast	18	46	6	30
southwest	6	0	9	85
east central	7	13	0	80
west central	12	13	32	43
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
province	**10**	**11**	**13**	**66**

Flax	% Standing	% in swath	% ready to straight combine	% combined
southeast	90	1	4	5
southwest	94	2	3	1
east central	95	3	1	1
west central	92	5	1	2
northeast	86	7	4	3
northwest	N/A	N/A	N/A	N/A
province	**92**	**2**	**3**	**3**

Triticale	% Standing	% in swath	% ready to straight combine	% combined
southeast	N/A	N/A	N/A	N/A
southwest	18	0	10	72*
east central	N/A	N/A	N/A	N/A
west central	11	11	33	45
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
province	**15**	**0**	**14**	**71***
*includes 20 per cent 'other'				

Canaryseed	% Standing	% in swath	% ready to straight combine	% combined
southeast	96	0	0	4
southwest	73	3	8	16
east central	62	1	26	11
west central	34	7	27	32
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
province	**68**	**3**	**13**	**16**

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending September 16, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 18, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period September 10 to 16, 2013

Crop Dist.	R.M. No.		Name	Past Week	Since 1-Apr
1A	2		Mount Pleasant	NIL	379
	3		Enniskillen	NIL	433
	33		Moose Creek	NIL	292
	34		Browning	N/A	290
	61		Antler	N/A	502
	63		Moose Mountain	NIL	415
	64		Brock	NIL	266
	65		Tecumseh	NIL	369
1B	91		Maryfield	NIL	286
	92		Walpole	N/A	80
	122		Martin	NIL	387
	123		Silverwood	NIL	304
	124		Kingsley	NIL	211
	125	A	Chester	NIL	257
	125	B	Chester	NIL	237
	151	A	Rocanville	NIL	259
	151	B	Rocanville	NIL	233
	153		Willowdale	N/A	N/A
	154		Elcapo	NIL	262
	155	A	Wolseley	NIL	253
	155	B	Wolseley	N/A	215
2A	67		Weyburn	N/A	314
	68		Brokenshell	NIL	340
	97		Wellington	NIL	205
	99		Caledonia	N/A	N/A
2B	127	A	Francis	NIL	278
	127	B	Francis	NIL	226
	129		Bratt's Lake	N/A	230
	131	A	Baildon	NIL	339
	131	B	Baildon	N/A	332
	156	A	Indian Head	NIL	258
	156	B	Indian Head	NIL	364
	160	A	Pense	NIL	298
	160	B	Pense	N/A	256
	161		Moose Jaw	NIL	327
	162		Caron	NIL	283
	191		Marquis	N/A	177
3ASE	38	A	Laurier	NIL	370
	38	B	Laurier	NIL	280
	39	A	The Gap	NIL	359
	39	B	The Gap	5	318
3ASW	10		Happy Valley	NIL	250
	11		Hart Butte	N/A	205
	12		Poplar Valley	NIL	363
	40	A	Bengough	NIL	362
	40	B	Bengough	NIL	541
	42		Willow Bunch	NIL	333
	43	A	Old Post	NIL	354
	43	B	Old Post	N/A	N/A
	70		Key West	N/A	84
	71		Excel	N/A	208
	72	A	Lake of the Rivers	N/A	N/A
	72	B	Lake of the Rivers	N/A	135
	73	A	Stonehenge	NIL	374
	73	B	Stonehenge	NIL	318
	74	A	Wood River	NIL	332
	74	B	Wood River	N/A	3
	74	C	Wood River	N/A	N/A
3AN	101		Terrell	NIL	230
	102		Lake Johnston	NIL	193
	103	A	Sutton	NIL	268
	103	B	Sutton	N/A	N/A
	132	A	Hillsborough	NIL	275
	132	B	Hillsborough	NIL	295
	134		Shamrock	N/A	284
	164	A	Chaplin	N/A	235
	164	B	Chaplin	N/A	N/A
	193	A	Eyebrow	NIL	246
	193	B	Eyebrow	NIL	290
	194		Enfield	N/A	N/A
	224		Maple Bush	N/A	199
3BS	17	A	Val Marie	10	401
	17	B	Val Marie	N/A	N/A
	45		Mankota	NIL	412
	75	A	Pinto Creek	NIL	293
	75	B	Pinto Creek	N/A	267
	76		Auvergne	1	268
	77		Wise Creek	NIL	345
	78	A	Grassy Creek	NIL	371
	78	B	Grassy Creek	4	315
	105		Glenbain	NIL	305
	106		Whiska Creek	1	248
	107	A	Lac Pelletier	N/A	262
	107	B	Lac Pelletier	N/A	44
	108		Bone Creek	N/A	352
3BN	138	A	Webb	NIL	306
	138	B	Webb	NIL	271
	166	A	Excelsior	NIL	275
	166	B	Excelsior	N/A	N/A
	167		Sask. Landing	NIL	244
	168	A	Riverside	NIL	242
	168	B	Riverside	NIL	284
	226	A	Victory	N/A	171
	226	B	Victory	N/A	30
	228		Lacadena	2	217
	255		Coteau	N/A	167
	257		Monet	NIL	277
4A	19		Frontier	N/A	N/A
	49		White Valley	N/A	303
	51	A	Reno	2	283
	51	B	Reno	N/A	N/A
	79		Arlington	NIL	400
	109		Carmichael	N/A	310
	110		Piapot	N/A	290
	111		Maple Creek	N/A	313
4B	139		Gull Lake	NIL	252
	141		Big Stick	NIL	245
	142		Enterprise	NIL	283
	169		Pittville	N/A	249
	231		Happyland	NIL	166
5A	183	A	Fertile Belt	NIL	356
	183	B	Fertile Belt	NIL	287
	186		Abernethy	NIL	184
	211		Churchbridge	NIL	282
	213		Saltcoats	NIL	295
	214		Cana	N/A	25
	216		Tullymet	N/A	194
	217	A	Lipton	N/A	N/A
	241		Calder	NIL	283
	243		Wallace	NIL	283
	245	A	Garry	NIL	275
	245	B	Garry	NIL	234
	245	C	Garry	NIL	222
	246		Ituna Bon Accord	N/A	216
	247		Kellross	NIL	234
	248		Touchwood	N/A	188
5B	271		Cote	NIL	314
	273		Sliding Hills	N/A	200
	277		Emerald	NIL	244
	305		Invermay	NIL	324
	307		Elfros	NIL	246
	308	A	Big Quill	NIL	200
	308	B	Big Quill	NIL	245
	331		Livingston	2	315
	333		Clayton	N/A	39
	334		Preeceville	N/A	218
	336		Sasman	NIL	183
	337	A	Lakeview	3	265
	337	B	Lakeview	N/A	22
	338		Lakeside	NIL	250
	366		Kelvington	NIL	221
	367		Ponass Lake	NIL	225
6A	190	A	Dufferin	NIL	253
	190	B	Dufferin	NIL	212
	190	C	Dufferin	N/A	217
	190	D	Dufferin	N/A	42
	190	E	Dufferin	NIL	88
	219		Longlaketon	NIL	241
	220		Mckillop	N/A	297
	221		Sarnia	N/A	284
	222		Craik	NIL	347
	251		Big Arm	NIL	296
	252		Arm River	NIL	320
	279		Mount Hope	N/A	226
	282		McCraney	NIL	245
	309		Prairie Rose	NIL	277
	310		Usborne	N/A	N/A
	313		Lost River	N/A	239
	339		Leroy	12.8	281
	340		Wolverine	NIL	296
	341		Viscount	N/A	288
	343	A	Blucher	NIL	256
	343	B	Blucher	N/A	105
6B	283		Rosedale	N/A	214
	284		Rudy	NIL	225
	285		Fertile Valley	NIL	196
	286		Milden	NIL	214
	314		Dundurn	N/A	236
	344		Corman Park	NIL	149
	346		Perdue	NIL	217
	376	A	Eagle Creek	NIL	149
	376	B	Eagle Creek	NIL	187
	403	A	Rosthern	N/A	191
	403	B	Rosthern	N/A	230
7A	259		Snipe Lake	N/A	184
	260	A	Newcombe	N/A	105
	260	B	Newcombe	N/A	169
	261		Chesterfield	N/A	56
	287		St. Andrews	NIL	224
	288		Pleasant Valley	NIL	220
	290	A	Kindersley	NIL	189
	290	B	Kindersley	NIL	106
	290	C	Kindersley	N/A	207
	292		Milton	N/A	268
	317	A	Marriott	N/A	175
	317	B	Marriott	NIL	189
	317	C	Marriott	N/A	N/A
	318		Mountain View	NIL	259
	320	A	Oakdale	N/A	212
	320	B	Oakdale	NIL	208
	321		Prairiedale	NIL	165
7B	347	A	Biggar	NIL	183
	347	B	Biggar	NIL	246
	350	A	Mariposa	N/A	135
	350	B	Mariposa	NIL	235
	351		Progress	NIL	216
	352		Heart's Hill	NIL	315
	377		Glenside	NIL	194
	378	A	Rosemount	NIL	166
	378	B	Rosemount	NIL	219
	379		Reford	NIL	186
	381		Grass Lake	N/A	188
	382		Eye Hill	NIL	197
	409	A	Buffalo	N/A	250
	409	B	Buffalo	N/A	N/A
	410		Round Valley	NIL	164
	411		Senlac	N/A	N/A
8A	395		Porcupine	N/A	216
	397		Barrier Valley	0.4	205
	428		Star City	N/A	286
	456		Arborfield	NIL	253
	457		Connaught	N/A	284
	458		Willow Creek	NIL	224
	486		Moose Range	N/A	271
	487	A	Nipawin	NIL	239
	487	B	Nipawin	N/A	N/A
8B	369		St. Peter	NIL	209
	370		Humboldt	NIL	220
	371		Bayne	N/A	293
	372		Grant	NIL	347
	400	A	Three Lakes	N/A	3
	400	B	Three Lakes	NIL	291
	402		Fish Creek	NIL	263
	429		Flett's Springs	NIL	296
	431		St. Louis	N/A	N/A
	459		Kinistino	N/A	301
	460		Birch Hills	NIL	247
9AE	461		Prince Albert	N/A	22
	488		Torch River	NIL	313
	491		Buckland	NIL	325
9AW	409		Mayfield	NIL	197
	435		Redberry	NIL	213
	436		Douglas	NIL	202
	463		Duck Lake	NIL	272
	466		Meeting Lake	N/A	N/A
	467	A	Round Hill	NIL	309
	467	B	Round Hill	NIL	217
	494		Canwood	N/A	N/A
	496	A	Spiritwood	N/A	N/A
	496	B	Spiritwood	N/A	131
	497		Medstead	N/A	264
9B	438		Battle River	N/A	264
	440		Hillsdale	N/A	241
	442		Manitou Lake	NIL	317
	498	A	Parkdale	NIL	199
	498	B	Parkdale	NIL	195
	499	A	Mervin	N/A	304
	499	B	Mervin	N/A	24
	501	A	Frenchman Butte	N/A	304
	501	B	Frenchman Butte	NIL	260
	501	C	Frenchman Butte	NIL	239
	502	A	Britannia	N/A	N/A
	502	B	Britannia	NIL	210
	561		Loon Lake	NIL	212
	588	A	Meadow Lake	NIL	254
	588	B	Meadow Lake	NIL	309
	588	C	Meadow Lake	NIL	350
	588	D	Meadow Lake	N/A	293
	588	E	Meadow Lake	N/A	N/A
	622		Beaver River	NIL	239

Municipality No: A, B, C, D and E - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2013
To: September 16, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 18, 2013

© 2013 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

September 17, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 18, 2013

© 2013 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

September 17, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 18, 2013

© 2013 Government of Saskatchewan